

## DBS AUSEEDER

### D260 Series

Model	Wheels	Dig Width M / Ft	Engine Power Kw / Hp	Tpt Width M / Ft	Tpt Height M / Ft
<b>SINGLE FOLD</b>					
D260-32	6	8.32 / 27'04"	167 / 224	5.86 / 19'03"	3.31 / 10' 11"
D260-36	6	9.36 / 30'09"	188 / 252	5.86 / 19'03"	3.83 / 12'07"
D260-42	6	10.92 / 35'10"	219 / 294	5.86 / 19'03"	4.61 / 15'02"
D260-48N	8	12.48 / 40'11"	251 / 336	5.86 / 19'03"	5.36 / 17'07"
D260-48E	6 or 8	12.48 / 40'11"	251 / 336	7.42 / 24'04"	4.61 / 15'02"
D260-54	8	14.04 / 46'01"	282 / 378	7.42 / 24'04"	5.39 / 17'08"
<b>DOUBLE FOLD</b>					
D260-59	10	15.34 / 50'04"	308 / 413	6.75 / 22'02"	5.03 / 16'06"
D260-64	10	16.64 / 54'07"	334 / 448	7.42 / 24'04"	5.03 / 16'06"
D260-70	10	18.20 / 59'09"	366 / 490	7.53 / 24'04"	5.85 / 19'02"
<b>SINGLE FOLD (CTF SYSTEM)</b>					
D260-46N	8	12.00 / 39'05"	240 / 322	5.86 / 19'03"	5.36 / 17'07"
D260-46E	6	12.00 / 39'05"	240 / 322	7.42 / 24'04"	4.61 / 15'02"
D260-46E	8	12.00 / 39'05"	240 / 322	7.42 / 24'04"	4.61 / 15'02"

## D300 Series

Model	Wheels	Dig Width M / Ft	Engine Power Kw / Hp	Tpt Width M / Ft	Tpt Height M / Ft
<b>SINGLE FOLD</b>					
D300-32	6	9.60 / 31'06"	167 / 224	6.50 / 21'04"	3.57 / 11'09"
D300-36	6	10.80 / 35'05"	188 / 252	6.50 / 21'04"	4.17 / 13'08"
D300-40	6 or 8	12.00 / 39'05"	209 / 280	6.50 / 21'04"	4.63 / 15'03"
D300-44	8	13.20 / 43'04"	230 / 308	6.50 / 21'04"	5.40 / 17'09"
D300-46	8	13.80 / 45'03"	240 / 322	6.50 / 21'04"	5.53 / 18'02"
D300-49	8	14.70 / 48'03"	256 / 343	7.37 / 24'02"	5.60 / 18'05"
D300-51	8	15.30 / 50'02"	266 / 357	7.37 / 24'02"	5.90 / 19'05"
<b>DOUBLE FOLD</b>					
D300-50	8	15.00 / 49'02"	261 / 350	7.49 / 24'07"	5.16 / 16'11"
D300-55	8	16.50 / 54'02"	287 / 385	7.96 / 26'01"	4.69 / 15'05"
D300-60T	10	18.00 / 59'00"	314 / 420	7.65 / 25'02"	5.59 / 18'04"
D300-61	10	18.30 / 60'00"	319 / 427	7.96 / 26'01"	5.59 / 18'04"

## D381 Series

Model	Wheels	Dig Width M / Ft	Engine Power Kw / Hp	Tpt Width M / Ft	Tpt Height M / Ft
<b>SINGLE FOLD</b>					
D381-28	6	10.66 / 35'00"	146 / 196	6.57 / 21'07"	4.95 / 16'03"
D381-32	6	12.19 / 40'00"	167 / 224	6.57 / 21'07"	5.05 / 16'07"
D381-36	8	13.71 / 45'00"	188 / 252	7.24 / 23'09"	5.80 / 19'01"
D381-40	8	15.24 / 50'00"	209 / 280	7.24 / 23'09"	6.18 / 20'04"
<b>DOUBLE FOLD</b>					
D381-44	10	16.76 / 55'00"	230 / 308	8.27 / 27'02"	5.62 / 18'05"
D381-48	10	18.28 / 60'00"	251 / 336	8.27 / 27'02"	5.65 / 18'07"

Horsepower should not exceed 6Kw (8hp) per tine.

Specifications are nominal and subject to change.

Dimensions and power requirements are nominal and based on machines with standard 175mm (7") blades.

Transport height and width may exceed local limits and all machines are towed at owners risk.